

受 控

SPECIFICATION

CUSTOMER : QUARTZ

PRODUCT NAME : Piezo-electric Disc

CUSTOMER MODEL NO. :

KEPO MODEL NO. : P5M27-D23-T25-A




DRAWING: KC5.001.211

COMPLIANCE WITH RoHS

Signature of Approval

--

Signature of KEPO

Approved by	Check by	Issued by	Date
			



宁波凯普电子有限公司

Ningbo Kepo Electronics Co.,Ltd.

宁波东钱湖镇东钱湖工业区宝源路 25 号

TEL:+86-574-88370330 FAX:+86-574-88370329

No.25 Baoyuan road Dongqian Lake, Industry Area, Dongqian town,


Ningbo City, China(Post Code:315121)

Sales@chinaacoustic.com www.chinaacoustic.com

Specificion for Piezoelectric Diaphragm	Drawing No.	Revision No.	Page
Model No. : P5M27-D23-T25-A	KC5.001.211	1.0	2/3

Dimensions(hatched areas silvered)

规格(阴影部分被银)



Technische Daten: (at $25 \pm 2^\circ\text{C}$)

- 1、Capacitance: $33000\text{pF} \pm 25\%$
- 2、Coupling coefficient K_p : > 0.60
- 3、Resonant Frequency f_r : 90 ± 10 kHz
- 4、Surface must be free of any contamination which may effect operation, bonding or soldering.
- 5、No cracks or chips on the surface.

FIRST ANGLE PROJECTION



UNIT : mm

Specificion for Piezoelectric Diaphragm	Drawing No.	Revision No.	Page
Model No. : P5M27-D23-T25-A	KC5.001.211	1.0	3/3

Packin

包装

Each minimum package unit of products shall be in a carton box and it shall be clearly marked with Part Number, quantity and outgoing inspection number. There shall be no mechanical damage on products during transportation and/or in storage.

把小包装放入大包装内，必须清楚的标记产品型号、数量、生产批号等，外箱不能有机机械损伤。

FIRST ANGLE PROJECTION



UNIT : mm