









Батареи CR литиевые с выводами. Размеры.

Напряжение 3V.

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|--|--------------|---|
| CR1220/1HF | <p>Technical drawing of CR1220/1HF battery. Top view shows a diameter of 12.5 mm. Side view shows a lead length of 2 mm and a lead thickness of 0.75 mm. Additional dimensions include 4 mm for lead width, 6 mm for lead height, and 12±0.5 mm for the body diameter.</p> | CR1220/1HM | <p>Technical drawing of CR1220/1HM battery. Top view shows a diameter of 12.5 mm. Side view shows a lead length of 2 mm and a lead thickness of 0.75 mm. Additional dimensions include 6 mm for lead height, 10±0.5 mm for the body diameter, and 0.75 mm for lead thickness.</p> |
| CR1220/1F4 | <p>Technical drawing of CR1220/1F4 battery. Top view shows a diameter of 12.5 mm. Side view shows a lead length of 4 mm and a lead thickness of 0.75 mm. Additional dimensions include 4±0.5 mm for lead width and 2 mm for lead height.</p> | CR1220/1VC | <p>Technical drawing of CR1220/1VC battery. Top view shows a diameter of 12.5 mm. Side view shows a lead length of 4 mm and a lead thickness of 0.75 mm. Additional dimensions include 4±0.5 mm for lead width and 2.3 mm for lead height.</p> |
| CR1220/1VC1 | <p>Technical drawing of CR1220/1VC1 battery. Top view shows a diameter of 12.5 mm. Side view shows a lead length of 4 mm and a lead thickness of 0.75 mm. Additional dimensions include 20.5±0.5 mm for the body diameter and 0.1 mm for lead thickness.</p> | CR1220/1VC2 | <p>Technical drawing of CR1220/1VC2 battery. Top view shows a diameter of 12.5 mm. Side view shows a lead length of 4 mm and a lead thickness of 0.75 mm. Additional dimensions include 2.3 mm for lead height.</p> |
| CR1225/1HF | <p>Technical drawing of CR1225/1HF battery. Top view shows a diameter of 12.5 mm. Side view shows a lead length of 2.5 mm and a lead thickness of 0.75 mm. Additional dimensions include 4 mm for lead width, 6 mm for lead height, and 12±0.5 mm for the body diameter.</p> | CR1225/1VC | <p>Technical drawing of CR1225/1VC battery. Top view shows a diameter of 12.5 mm. Side view shows a lead length of 4 mm and a lead thickness of 0.75 mm. Additional dimensions include 4±0.5 mm for lead width, 0.1 mm for lead thickness, and 2.5 mm for lead height.</p> |









| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|---|--------------|---|
| CR1620/1HF | <p>Technical drawing of CR1620/1HF showing front and side views. Dimensions include a diameter of 16, a central hole diameter of 2, a distance of 4 from the hole to the edge, a total length of 16±0.5, a thickness of 0.75, a distance of 6 from the hole to the end, and a chamfered edge with a width of 4 and a height of 0.75.</p> | CR1620/1VC2 | <p>Technical drawing of CR1620/1VC2 showing front and side views. Dimensions include a diameter of 16, a central hole diameter of 4±0.5, a thickness of 0.75, a distance of 4±0.5 from the hole to the end, and a chamfered edge with a width of 0.1.</p> |
| CR1620/1VC3 | <p>Technical drawing of CR1620/1VC3 showing front view. Dimensions include a diameter of 16, a hole diameter of 3.3, a chamfered edge with a width of 2 and an angle of 22°, and a distance of 2 from the hole to the edge.</p> | CR1632/1HF | <p>Technical drawing of CR1632/1HF showing front and side views. Dimensions include a diameter of 16, a hole diameter of 3.2, a thickness of 0.75, a distance of 3.2 from the hole to the end, a chamfered edge with a width of 8.8 and a height of 5.6, a total length of 16±0.5, a distance of 4 from the hole to the end, a chamfered edge with a width of 8.8 and a height of 3.5, and a thickness of 0.75.</p> |
| CR1632/1GU | <p>Technical drawing of CR1632/1GU showing front and side views. Dimensions include a diameter of 16, a hole diameter of 3.2, a thickness of 0.75, a distance of 3.2 from the hole to the end, a chamfered edge with a width of 8.8 and a height of 5.6, a total length of 16±0.5, a distance of 4 from the hole to the end, a chamfered edge with a width of 11 and a height of 8.8.</p> | CR1632/1HM | <p>Technical drawing of CR1632/1HM showing front and side views. Dimensions include a diameter of 16, a hole diameter of 3.2, a thickness of 0.75, a distance of 3.2 from the hole to the end, a chamfered edge with a width of 8.8 and a height of 5.6, a total length of 15.2±0.5, a distance of 4 from the hole to the end, a chamfered edge with a width of 8.8 and a height of 3.5, and a thickness of 0.75.</p> |
| CR1632/1VC2 | <p>Technical drawing of CR1632/1VC2 showing front and side views. Dimensions include a diameter of 16, a hole diameter of 4, a thickness of 0.75, a distance of 3.2 from the hole to the end, a total length of 16, a distance of 4 from the hole to the end, a chamfered edge with a width of 3.41 and a height of 0.15.</p> | CR1632/1HF1 | <p>Technical drawing of CR1632/1HF1 showing front and side views. Dimensions include a diameter of 16, a hole diameter of 3.2, a thickness of 0.75, a distance of 3.2 from the hole to the end, a chamfered edge with a width of 8.8 and a height of 4, a total length of 10±0.5, a distance of 3.5 from the hole to the end, a chamfered edge with a width of 0.75 and a height of 3.5, and a thickness of 0.75.</p> |









| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|---------------|--------------|---------------|
| CR1632/1F2 | | CR2016/1HF1 | |
| CR2016/1F2 | | CR2016/1HF | |
| CR2016/1F3 | | CR2016/1HM | |
| CR2016/1F4 | | CR2016/1VC2 | |

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|---|--------------|---|
| CR2025/1HF1 |  | CR2025/1HF2 |  |
| CR2025/1HF |  | CR2025/1HF3 |  |
| CR2025/1GU |  | CR2025/1F2 |  |
| CR2025/1F3 |  | CR2025/1VC |  |

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|---------------|--------------|---------------|
| CR2032/1HF7 | | CR2032/1HF6 | |
| CR2032/1HF5 | | CR2032/1HF4 | |
| CR2032/1HF3 | | CR2032/1HF2 | |
| CR2032/1HF | | CR2032/1HF1 | |

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|---------------|---------------|---------------|---------------|
| CR2032 / 1GU | | CR2032 / 1HF8 | |
| CR2032 / 1GU1 | | CR2032 / 1HF9 | |
| CR2032 / 1GU2 | | CR2032 / 1HFA | |
| CR2032 / 1GU3 | | CR2032 / 1HFB | |

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|---|--------------|---|
| CR2032/1VC |  | CR2032/1VC1 |  |
| CR2032/1F4 |  | CR2032/1F2 |  |
| CR2032/1VC2 |  | CR2032/1VC3 |  |
| CR2032/1F3 |  | CR2032/1VC4 |  |

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|---------------|---|---------------|---|
| CR2032 / 1GV | <p>(73)</p>  | CR2032 / 1GV1 | <p>(74)</p>  |
| CR2032 / 1F6 | <p>(75)</p>  | CR2032 / 1VC5 | <p>(76)</p>  |
| CR2032 / 1F5 | <p>(77)</p>  | CR2032 / 1F7 | <p>(78)</p>  |
| CR2032 / 1HFC | <p>(79)</p>  | CR2032 / 1F8 | <p>(80)</p>  |

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|--|--------------|---|
| CR2330/1HF1 | <p>Technical drawing of CR2330/1HF1 showing front and side views. Dimensions include a diameter of 23, a thickness of 3, a hole offset of 0.75, a hole diameter of 6.2, a length of 20±0.5, and a hole depth of 9.2.</p> | CR2330/1VC | <p>Technical drawing of CR2330/1VC showing front and side views. Dimensions include a diameter of 23, a thickness of 3±0.5, a hole offset of 8±0.5, a hole diameter of 0.75, a length of 3, and a hole depth of 3.28.</p> |
| CR2330/1HF | <p>Technical drawing of CR2330/1HF showing front and side views. Dimensions include a diameter of 23, a thickness of 3, a hole offset of 0.75, a hole diameter of 6.2, a length of 23±0.5, and a hole depth of 9.2.</p> | CR2330/1VC1 | <p>Technical drawing of CR2330/1VC1 showing front and side views. Dimensions include a diameter of 23, a thickness of 5±0.5, a hole offset of 10±0.5, a hole diameter of 0.75, a length of 3, and a hole depth of 3.28.</p> |
| CR2330/1HF2 | <p>Technical drawing of CR2330/1HF2 showing front and side views. Dimensions include a diameter of 23, a thickness of 3, a hole offset of 0.75, a hole diameter of 6.2, a length of 20±0.5, a hole depth of 9.2, and a hole diameter of 1.8.</p> | CR2330/1VC2 | <p>Technical drawing of CR2330/1VC2 showing front and side views. Dimensions include a diameter of 23, a thickness of 5±0.5, a hole offset of 0.75, a length of 3, a hole depth of 5, and a hole diameter of 3.28.</p> |
| CR2330/1HF3 | <p>Technical drawing of CR2330/1HF3 showing front and side views. Dimensions include a diameter of 23, a thickness of 3, a hole offset of 0.75, a hole diameter of 4, a length of 23±0.5, and a hole depth of 1.8.</p> | CR2330/1F2 | <p>Technical drawing of CR2330/1F2 showing front and side views. Dimensions include a diameter of 29, a diameter of 23, a hole offset of 2.6, a hole diameter of 3±0.5, a hole depth of 2.6, a length of 3, and a hole diameter of 3.5.</p> |

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|---------------|--------------|---------------|
| CR2430/1HF3 | | CR2430/1F4 | |
| CR2430/1HF2 | | CR2430/1VC | |
| CR2430/1HF1 | | CR2430/1F6 | |
| CR2430/1HF | | CR2430/1VC1 | |

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|---------------|--------------|---------------|
| CR2450/1HF | | CR2450/1GU1 | |
| CR2430/1HF1 | | CR2450/1GU | |
| CR2430/1HF2 | | CR2450/1F2 | |
| CR2430/1HF3 | | CR2450/1GV | |

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|---------------|--------------|---------------|
| CR2450/1GV1 | | CR2450/1VC | |
| CR2450/1VC1 | | CR2450/1VC2 | |
| CR2477/1GV | | CR2477/1HF | |
| CR2477/1VC | | CR2477/1HF1 | |

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|---------------|---|---------------|---|
| CR2477 / 1HF2 | <p>Technical drawing of CR2477 / 1HF2 showing front and side views. Dimensions include: 24.5 (diameter), 7.7 (width), 0.75 (thickness), 20±0.5 (length), 11 (height), 0.75 (width), 3 (width), 3 (width).</p> | CR2477 / 1HF3 | <p>Technical drawing of CR2477 / 1HF3 showing front and side views. Dimensions include: 24.5 (diameter), 7.7 (width), 3.5 (width), 1.8 (width), 3.5 (width), 6 (width), 3.5 (width), 2 (width), 0.75 (thickness).</p> |
| CR3032 / 1HF | <p>Technical drawing of CR3032 / 1HF showing front and side views. Dimensions include: 30 (diameter), 3.2 (width), 0.75 (thickness), 30±0.5 (length), 9 (height), 6.2 (width), 0.75 (width).</p> | CR3032 / 1HF1 | <p>Technical drawing of CR3032 / 1HF1 showing front and side views. Dimensions include: 30 (diameter), 3.2 (width), 0.75 (thickness), 20±0.5 (length), 9 (height), 5.6 (width), 0.75 (width).</p> |
| CR3032 / 1HF2 | <p>Technical drawing of CR3032 / 1HF2 showing front and side views. Dimensions include: 30 (diameter), 3.2 (width), 0.75 (thickness), 20±0.5 (length), 4 (width), 3.2 (width), 4 (width), 0.75 (width).</p> | CR3032 / 1VC | <p>Technical drawing of CR3032 / 1VC showing front and side views. Dimensions include: 30 (diameter), 5±0.5 (width), 10±0.5 (width), 1.8 (width), 5±0.5 (width), 3.2 (width).</p> |
| CR3032 / 1F2 | <p>Technical drawing of CR3032 / 1F2 showing front and side views. Dimensions include: 30 (diameter), 5 (width), 5±0.5 (width), 2.6 (width), 3.8 (width), 5 (width), 5±0.5 (width).</p> | CR3032 / 1F1 | <p>Technical drawing of CR3032 / 1F1 showing front and side views. Dimensions include: 30 (diameter), 3 (width), 3±0.5 (width), 2.6 (width), 3.5±0.5 (width), 3 (width), 3 (width).</p> |